A minimum of 745,000m^2 gross of office floorspace in the network of centres; and

New waste facilities to increase recycling and disposal capacity, and minimise the amount of waste sent directly to landfill.

1.1.3 BDP Progress to Date

The preparation of the BDP started in 2007 when the City Council decided that a new strategic planning document was needed to guide future growth and development. In autumn 2008, a period of public consultation was held seeking views on a proposed strategy and range of options for delivering housing and economic growth. Following this consultation further work was carried out and in December 2010 a document entitled the Birmingham Core Strategy Consultation Draft was published.

As progress was being made in producing the final version of the BDP, a number of significant changes occurred. The publication of the National Planning Policy Framework and the emergence of higher population projections required a review of how the City should plj(pl)-4-504(f)-10(or)5067(f)-10(utu)4(r)-3(e)]TJETBT1 0 0 1

Beteenn ce 20 and anuy 20 d furteor options consult ation

1.2 The Growth Areas

Delivering the BDP strategy will require focusing significant development into a number of locations which currently play an important role in providing homes, jobs and supporting facilities. These are identified as Growth Areas, and reflect the availability of development opportunities and existence of current or planned infrastructure.

To meet the needs of the growing population and ensure that sufficient high quality accessible land is available for residential and economic development, the City Council has also planned for the expansion of the urban area through the removal of land from the Green Belt. This will enable the delivery of a planned sustainable urban neighbourhood and a large employment site both located in the northeast of the City. These areas are also identified as Growth Areas. The Growth Areas are:

Figure 1.1 Locations of Growth Areas

GA1 - City Centre	GA2 - Greater Icknield
GA3 - Aston, Newtown & Lozells AAP	GA4 - Sutton Coldfield
GA5 - Langley SUE	GA6 - Peddimore
GA7 - Bordesley Park AAP	GA8 - Eastern Triangle
GA9 - Selly Oak and South Edgbaston	GA10 - Longbridge AAP

2.1 Background to the National Planning Policy Framework (NPPF)

The NPPF was introduced in March 2012. The introduction to the document states:

The National Planning Policy Framework

designed where practical to:

- Accommodate the efficient delivery of goods and supplies;
- Give priority to pedestrian and cycle movements, and have access to high quality public transport facilities;
- Create safe and secure layouts which minimise conflicts between traffic and cyclists or pedestrians, avoiding street clutter and where appropriate establishing home zones;

Modelling Approach

Figure 3.1 Population and Employment Growth Prediction. Source: BCC



3.4 Stage 3a ±Transport Modelling Assessment Initial Output / Hybrid Model Report

Junction performance has been used in all scenarios as a measure of how the highway network in Birmingham performed. Three categories of performance are used, and are defined by whether one or more of the arms of the junction are operating:

- Under capacityô where all traffic movements through a junction are operating below 85% capacity;
- At capacityô- where one or more traffic movements through a junction are operating between 85% and 100% capacity (flow breakdown and cumulative queuing start to occur within this range); or
- Over capacityô- where one or more traffic movements through a junction are operating at over 100% capacity (significant queuing and delay can occur over this value).

This section will review the outputs from the Hybrid model, as this is the latest and most accurate model used to examine the impacts to the highway network. **Table 3.3** highlights performance issues (at or over capacity junctions) along several key arterial and radial corridors or routes in the AM peak, in 2011 and 2031 (reference and development case).

Table 3.3 Summary of Congested Junctions along Key Routes

AM Congested Routes	2011 Base Year		2031 Reference Case		2031 Development Case	
	At Cap.	Over Cap.	At Cap.	Over Cap.	At Cap.	Over Cap.
Birmingham City Centre*	9	1	13	9	13	9
Sutton Coldfield Town Centre*	3	0	3	0	3	0
A4050 Ring Road	8	3	9	8	9	8
A4040 Outer Ring Road	7	1	16	7	20	7

Figure 3.2 Junction capacity change between Reference and Development Case, in 2031 (AM Peak)



Figure 3.3 Junction capacity change between Reference and Development Case, in 2031 (PM Peak)



Flow increases were modelled additionally, with the difference in flows shown in F*igures 3.4* and *3.5*. The most significant flow increases being on the main local links between the green belt developments and surrounding urban areas, namely:

A38 Kingsbury Road;

3.5 Summary

The results of this analysis have been used to create an emerging strategy to mitigate the impacts of the Sustainable Urban Extension (SUE) planned at Langley and Peddimore. This has been done through a range of highway interventions, and walking and cycling and public transport strategies. The specifics of these interventions have been developed, and are discussed in **Chapter 4**.

the junction and local highway network was built, and calibrated to a 2014 base year and forecast year 2031. The results suggested that the traffic specifically associated with the two SUEs has a detrimental impact during both the AM and PM peaks:

- During the AM peak, the main impact occurs along A4097 Kingsbury Road, where traffic associated with the developments results in extensive queuing from 7.30am. The associated traffic building up from vehicles turning right onto the M42 southbound results in extended queues along both Lichfield Road approaches from the north and south. Overall speeds in the traffic model reduce as a result of the development traffic.
- During the PM peak, congestion occurs along the M42 with and without the SUE development traffic. This congestion relates to queuing from a northbound lane merge along Lichfield Road to the north of Junction 9.

4.5 Walking and Cycling Analysis

The attraction of travel on foot and bicycle is directly affected by the condition of the local infrastructure. While this can be overcome at relatively low cost, detailed local knowledge is required to identify the problem and devise an appropriate solution.

A strategic plan of this nature cannot address such detail, and the input of knowledgeable local parties will be appropriate and valuable. At this stage, consideration is more focused on the scope of the cycling proposals, in terms of their geographic coverage and the particular journey purposes on which modal shift to walking and cycling should be focused.

4.6 Proposed Infrastructure

The ôGreen Belt Development Movement Infrastructure Planõ has been written to generate a movement strategy for Birminghamõs Eastern Fringe, including the Peddimore (Growth Area 6) and Langley (Growth Area 5) SUEs. **Figures 4.1** to **4.3** demonstrate the geographical spread of the corridors that will require intervention, for the three groups of modes. The strategy focuses on walking and cycling for local movements plus supporting public transport provision including to / from Sutton Coldfield town centre; on public transport for movements to / from the Bromford Corridor and City Centre with supporting cycling provision; and recognises that private car will be a vital mode of travel to / from

Birmingham City Council

Table 4.2 Proposed Infrastructure (Sutton Coldfield, Walmley and Minworth)

4.6.2 Routes to City Centre, Bromford Corridor, and North and East Birmingham

This movement axis features two distinct employment centres ï professional, retail and leisure jobs in Birmingham City Centre, with a greater proportion of manufacturing and wholesale jobs in the Bromford Industrial Corridor. Many of the proposals in the below table however address both destinations. The aim in this movement axis is to achieve a high share of travel by public transport from Langley, through comparable journey times on public transport to car, facilitating access to the railway network, as well as increasing vehicular capacity on key arterial routes to sustain reliable travel times for business travel, goods traffic and bus services.

The following increases in person trips per peak hour are expected:

700 between Langley and the Bromford Industrial Corridor plus City Centre.

The proposed infrastructure to mitigate

Birmingham Transport Strategies

5.1 Introduction

This chapter provides an insight into a number of strategies that have been developed for Birmingham and the West Midlands that have been utilised to inform the BDP. The documents are outlined in **Appendix B**, along with several other key evidential documents that support the connectivity policies of the BDP.

5.2 **BMAP** - November 2013

BMAP[5] presents a twenty year vision for improving transport in the city. The Green Paper document sets out how the transport system will meet current and future challenges, through influencing travel behaviour and embracing technological change to reduce carbon emissions and improve road safety and health. It is envisaged that the White Paper will be completed by the end of 2014, following the completion of seven complimentary work packages that focus primarily on the delivery, funding and monitoring of mode specific strategies for the city. BMAP will complement the BDP in outlining improvements to the transport system throughout the city to ensure continued and improved mobility between and within the key Growth Areas.

5.3 **Birmingham City Centre Vision for Movement** - November 2010

The Big City Plan has set out the ambition for Birmingham to be a global and liveable city, in which new jobs, homes, and new cultural, civic and leisure opportunities are central to the cityôs future economic and social vitality. This document sets out the Vision for Movement[6] around and within the city centre and provides the key guiding principles that will underpin the Big City Plan. The Vision will support the economic growth and development aspirations set out in the Big City Plan and provide an attractive and convenient travel experience. The key objectives are:

- Provide additional capacity for regeneration and economic growth in the city centre;
- Reduce our dependence on the private car and keep the city moving;
- The needs of pedestrians will be at the heart of the movement strategy for the city centre.

5.4 **Smart Network, Smarter Choices** ï 2011 to 2015

Smart Network, Smarter Choices[7] is a package of measures that involves changing peopleôs travel behaviour, while joining up transport networks through such initiatives as:

- Workplace travel planning, WorkWise and measures enabling people to make better informed sustainable travel choices, especially for shorter trips;
- Improvements to walking and cycling routes, passenger facilities and small-scale road and junction

5.10 West Midlands Metropolitan Freight Strategy ï April 2013

The strategy[13] outlines six functions; to steer investment programmes, inform and advise land use planning, decision making by regional bodies (LEPs and LTBs) and future major schemes, outline a regional strategy for strategic transport assets for national bodies (Highways Agency and Network Rail), and to influence government policy development. It also summarises key issues and proposals across the West Midlands area, setting out a vision for freight by 2030.

5.11 Low Carbon Transport Strategy ï January 2012

This document[14] outlines the strategy that will allow Birmingham to meet the carbon reduction targets outlined in the ñCarbon Dioxide Emissions Target Baselineò report. Four key themes (Smarter Choices, Smarter Infrastructure, Smarter Technology and Effective Carbon Management Planning) will work together to meet a 60% reduction by 2026.

5.12 Car Parking Guidelines SPD ï February 2012

The SPD[15] sets out of the car, cycle and motorcycle parking standards which will apply when planning applications for new development are considered. Most notably, the guidelines will be used when planning parking provision for developments throughout each of the 10 Growth Areas, as set out in the BDP. The process of seeking financial contributions from developers towards public transport improvements is also outlined.

5.13

0 1 339 ai9 Tm0055G[S)b1 73.704 40BT1 0 0 SJmG[S)b1 73.704 4tt0-9(r)-3(,)]TJETBT1 0[cp1.34)-5(tb7(s)-5(i)5)-5(t0[c8.86 Tm[A)4

Infrastructure Delivery Plan

6.1 Overview

In order to determine the infrastructure required to support the growth set out in the BDP, Birmingham City Council have completed two reports that complement each other in identifying infrastructure required to support growth, but also examine the viability and deliverability of the infrastructure:

Infrastructure Delivery Plan; and

Site Delivery Plan.

The Site Delivery Plan demonstrates that the overall spatial strategy set out in the BDP is deliverable. The Infrastructure Delivery Plan has informed the Site Delivery Plan as it identifies infrastructure requirements for specific sites, alongside wider delivery issues including land ownership, remediation, the need for demolition and environmental considerations. The following sections provide an overview of the two evidence reports, and the associated outcomes.

6.2 Infrastructure Delivery Plan

The Infrastructure Delivery Plan (IDP) forms a key part of the evidence base for the Birmingham Development Plan (BDP). Whilst the BDP sets out the spatial planning framework for the city up to 2031, the IDP identifies the key infrastructure projects necessary to support the City's growth aspirations. The document has been produced in consultation with officers at the City Council, statutory consultees and external stakeholders and organisations.

The IDP seeks to demonstrate that there are no major infrastructure constraints on delivering the level of growth set out in the BDP. Delivering these proposals will require appropriate supporting infrastructure to be put in place, including transport, open space, schools, utilities and health and leisure services. The following sections provide an insight into the transport proposals set out in the IDP.

The IDP is a live document, which will be amended over the plan period as new funding opportunities arise and infrastructure priorities change. The IDP will be reviewed at regular intervals post adoption to reflect these changes. The aims of the IDP include:

- assess existing infrastructure capacity and needs in the City in the context of the BDP proposals and identify the lead organisations to deliver and manage infrastructure;
- identify key infrastructure projects to support growth and costs for providing the infrastructure;
- align the implementation of the IDP with the aims and objectives of relevant local strategies/ partnerships; and
- identify any funding gaps for the delivery of the infrastructure projects, which justifies the need to adopt a city-wide CIL.

The following sections provide a summary of transport infrastructure identified within the IDP.

6.2.1 Highway Schemes

Birminghamôs Strategic Highway Network (SH

6.2.2 Rail Schemes

6.2.2.1 Passenger Rail

Network Rail own and manage the countryôs rail infrastructure, including the tracks, signalling systems, tunnels and other core assets. Network Rail also own and are responsible for the long term maintenance of most of the stations in the West Midlands and manage the Regionôs largest station at Birmingham New Street. All other Birmingham stations are currently managed by London Midland apart from Birmingham Moor Street, which is managed by Chiltern Railways.

A number of improvements are committed for this period, which include Birmingham New Street Gateway (under construction) and works have or will be undertaken at several stations throughout Birmingham to make them DDA compliant, including Northfield, Selly Oak and Sutton Coldfield. The IDP Schedule highlights projects which relate to Control Periods 5 and 6. Network Rail is currently involving local stakeholders, including the City Council, in its Long Term Planning Process (LTPP) which seeks to assess potential demand and high-level conditional outputs for passenger and freight services over a 30 year timeline to 2043. This will inform more detailed planning for development of the rail network in CP6 (2019-24) and beyond.

Train peak capacity continues to be an issue across the West Midlands where passenger numbers have increased by 94% between 2000/1 and 2011/12. As a result of this, meeting future passenger demand is likely to be challeno Ŏ M The Department for Transportôs High Level Output Specification has specified the delivery of an additional 10% morning peak capacity between 2014 and 2019. However, this is significantly below the levels of background passenger growth currently being experienced.

There are a number of railway lines that run through the City, including the Coventry Line (part of the WCML, which provides direct links to Birmingham Airport and NEC), the Cross City Line, the Walsall Line and the Snow Hill Line.

Centro manage a number of Park and Ride sites within the City that are linked to suburban rail stations. These Park



1. The Camp Hill Chords project, which would enable two new suburban rail lines to be run into Moor Street Station ï one from Kings Norton through Kings Heath and Moseley and one from Tamworth through Kingsbury, Castle Vale and Fort Parkway. As there are currently no local stations or local passenger services on these lines, this proposal would address this deficiency and would support wider housing and employment growth. Sutton Park Line has been assessed and is not essential to deliver development in the green belt.
2.

Location	Ref. Number	Connectivity Infrastructure	Scheme Cost	Policy
Triangle	33	Meadway highway works and Lea Hall station		

6.3 Site Delivery Plan

The Site Delivery Plan (SPD) was produced in October 2013 to demonstrate that the overall levels of development set out in the BDP are achievable and that the overall spatial strategy can be realised. The SPD helps to demonstrate that the BDP is sound (as set out in the NPPF), particularly by demonstrating how the Growth Areas will develop over time and how infrastructure can help support development.

The SDP covers the following:

Identifies the overall levels of growth that the BDP is aiming to deliver;

Gives an overview of the considerations which have a key influence over the delivery of sites in Birmingham, including development viability and infrastructure

An assessment of delivery for identified development sites

Actions that will be undertaken (and underway) to enable site delivery.

A key part of the SDP is the assessment of delivery of large scale development sites. Principally, it is focussed on housing, employment, retail and office development based on the Strategic Housing Land Availability Assessment (2012) and the Infrastructure Delivery Plan (IDP). Overall, the assessment presents a clear understanding of delivery issues in the City and highlights what is n70(on8(de)4(l)5(i)-[A)4(s)-5(s)-5(e)-9(s)0)-10(wha2)O5-10(wha2(s)-5(2(of)g

The BDP contains 45 policies that relate to ‘Growth Areas’, ‘Environment and sustainability’, ‘Economy and network of centres’, ‘Homes and neighbourhoods’ and ‘Connectivity’. The nine policies that fall under ‘Connectivity’ are supported by a full and robust Transport Evidence Base, as identified in previous chapters, with a further two policies making reference to the ‘Connectivity’ thematic policies. The following sections provide an overview of each policy in terms of associated evidence

7.3 Cycling

Policy Summary	Policy TP39	Cycling

Cycling will be encouraged through a comprehensive city-

Evidence Base	Positively Prepared	Justified	Effective	Consistent
Smarter Choices				

Stakeholder Engagement

Funding	Summary
Capital Investment Programmes	Investment in infrastructure by service providers to meet their own statutory obligations and

Appendix A ±Evidence Base Summary Diagram

Appendix B ±Evidence Base Document Summary

Appendix B - BDP Evidence Base Document Summary

Sustainability Appraisals and Habitat Assessments

matrices (994 zone level) of zone to zone trips (4 periods, 24 hour, for car driver, car passenger, public transport user (3 modes; rail, metro and bus), slow modes, HGV and LGV separately;
these matrices can be subdivided further (if required) by purpose;
matrices (994 zone level) of skimmed travel times, distances, generalised costs;
network results for the whole PRISM network of link flows, congestion, travel times and speeds(in Mapinfo, CSV, or Access format);
these matrices and network results can be cordoned to a smaller area as required;
the matrices can be produced in TUBA format, if so required;

			sensitivities on these routes including residential properties, private access and junctions with major roads. Remedial measures considered are traffic management schemes, such as speed limit changes or weight limits, and safety improvements at junctions with major roads. BCC acknowledge that the Settlements of Curdworth, Water Orton and Wishaw could experience an increase in traffic. However these lay on important connecting routes which are important for access to jobs and amenities. The impact on residents can be remediated however, by discouraging rat-running using traffic management schemes, such as speed limit changes, weight limits, traffic calming and road safety improvements.	
Insufficient data in the evidence base of trip rates	The methodology of the Travel Demand Model is complex but based upon	BCC will prepare additional material to explain the methodology to WCC	Additional data has been shared with WCC	n/a

	empirical evidence and has been reconciled with the PRISM demand model			
Insufficient data in the evidence base for traffic distribution and increase in traffic on Warwickshire Roads	Additional data will be provided	BCC will prepare additional material to explain the methodology to WCC	Additional data has been shared with WCC	n/a

Staffordshire County Council				
Issues Arising	BCC Initial Response	Actions Taken	Current Position/Outcomes	Next Steps
The need to understand the impact of growth on journey times at the following locations: - A38 jun tcomes				

Highways Agency				
Issues Arising	BCC Initial Response	Actions Taken	Current Position/Outcomes	Next Steps
The need to understand the impact of growth on queues and delays at the following locations: - M42 junction 9 - M6 junction 5	BCC concur that there is likely to be a traffic impact at these locations. BCC have committed to work closely with HA to produce additional data to help understand the severity of impact, and identify possible remedial measures where necessary.	BCC, WCC and Highways Agency Commissioned JMP Consultants to prepare a detailed micro-simulation model of M42 J9. BCC have also considered the traffic impact at M6 junction 5.	BCC has provided an indication of traffic increase on these routes and junctions. JMP Consultants have developed the Local Model Validation Report which provides a baseline of existing conditions at M42 Junction 9, and forecast year scenarios have also been modelled. The current position is that works will be required on the junction in the next 15 years in any case yet the BDP adds traffic which also requires mitigation. The overall works package required is yet to be determined.	BCC and HA are working together to develop a strategy to overcome constraints at M42 Junction 9

	connectivity by rail include a range of options such as nev stations and enhanced capacity to the cross city line and Tamworth line, but the constraints are significant and the solutions relate to schemes elsewhere in the region. It is therefore our view that any proposals for improvements to the rail network in north east Birmingham should form a part of a comprehensive package, which would be related to but nevertheless lay outside the scope of the BDP.			

The Black County Consortium				
Issues Arising	BCC Initial Response	Actions Taken	Current Position/Outcomes	Next Steps
Generally in support of the opening of the Sutton Park Line, particularly in the light of possible electrification of the Walsall line to Aldridge. The consortium have aspirations to connect into the HS2 hub, and view the Sutton Park Line as providing a part of this.	BCC support the opening of the Sutton Park Line to passengers, but it is not a precursor to proposed developments contained in the plan.	BCC commissioned CH2M H to consider the feasibility of bringing the Sutton Park line into use for passenger services. This report has been published as part of the evidence base.	BCC support the opening of the Sutton Park Line to passengers	BCC will continue to work closely with partners Centro, Network Rail and London Midland, to develop capacity on the Cross-City Line; consider the opening of a station at Castle Vale; and in the context of other schemes continue to support the provision of the Bordesley Curves, works at Water Orton and opening of the Sutton Park Line for passengers.

Centro				

Centro	3.10.13	Greenbelt Option Analysis
(with London Midlands and Network Ra	22.11.13	Sutton Line
	26.11.13	Bus

Staffordshire

Ref2.6				
2.7	Holly Lane bus activation at A38 signal junctions	Essential	£	22,344
2.8	Bagot Arms Junction bus priority	Essential	£	745,964
1.7, 2.10, 3.1	SPRINT Route	Essential	£	11,683,000
1.8, 2.11, 3.2	CityLink route	Essential	£	2,567,000
-	Bus kickstart fund	Essential	£	3,000,000

Ref	Location / Description	Need		Cost
1.1, 2.1, 3.1	Station Street - Traffic Mitigation Measures (High)	Desirable	£	55,709

1.1, 2.1, 3.1	Reddicap Hill - Traffic Mitigation Measures (High)	Essential	£	7,367
1.1, 2.1, 3.1	Broome Close - Traffic Mitigation Measures (Highest)	Desirable	£	19,088
1.1, 2.1, 3.1	Coleshill Road - Traffic Mitigation Measures (Medium)	Essential	£	130,516
1.1, 2.1, 3.1	Froggatts Ride / Berryfields Road - Traffic Mitigation Measures (High)	Essential	£	51,570

Ref	Location / Description	Need		Cost
1.1	Lower Queen Street / South Parade - Junction improvements (Low)	Desirable	£	22,909
1.2	Webster Way / Calder Drive - Junction improvements (Medium)	Essential	£	80,229
1.3	Rectory Road / Rectory Park - Junction improvements (Low)	Essential	£	22,909
1.4	Hollyfield Road / St Chads Road - Junction improvements (Entry Treatment)	Essential	£	12,000
1.5	Springfield Road / Churchill Road - Junction improvements (Medium)	Essential	£	80,229
1.6	Whitehouse Common Road / Withy Hill Road - Junction improvements (Medium+Entry Treatment)	Essential	£	92,229
1.7	Rectory Road / Blakemore Road - Junction improvements (Medium+Raised Table)	Essential	£	110,229
1.8	Reddicap Heath Road / Fairfax Road - Junction improvements (Medium+Raised Table)	Desirable	£	110,229
1.9	Reddicap Heath Road /Walsh Drive - Junction improvements (Medium+Raised Table+Bumps)	Desirable	£	115,329
1.10	Springfield Road / Laburnum Drive - Junction improvements (Medium)	Essential	£	80,229
1.11	Springfield Road / Reddicap Heath Road - Junction improvements (High)	Essential	£	229,598
1.12	Walmley Road / Sir Alfreds Way / Berryfields Road - Junction improvements (Low)	Essential	£	22,909
1.13	Berryfields Road / Froggatts Ride - Junction improvements (Medium+Raised Table)	Essential	£	110,229
1.14	Springfield Road / Froggatts Ride - Junction improvements (Medium)	Essential	£	80,229
1.15	Clifton Road / Manor Road - Junction improvements (Medium+Raised Table)	Desirable	£	110,229

2.6	A5127 / Greenhill Road / Cambridge Avenue - Junction improvements (Low+Entry Treatment+Crossing)	Desirable	£	67,545
2.7	A5127 Little Green Lane - Junction improvements (Low+Entry Treatment)	Desirable	£	34,909
2.8	Green Lanes / Little Green Lanes - Junction improvements (Low+Raised Table)	Desirable	£	52,909