4 May 2004

Report to the City Council

# Children's Nutrition – Obesity

**Further copies of this report can be obtained from:**

**Scrutiny Support Officer:** **Helen Walker**
**:** **0121 464 7457**
**E-mail:** **Helen.walker@birmingham.gov.uk**

Reports that have been submitted to Council can be downloaded from **www.birmingham.gov.uk/scrutiny**.

# Children's Nutrition - Obesity

**Appendix 3: Physical activity in children** 78

**Appendix 4: Food security and food patterns in Birmingham** 79

**Appendix 5: Mapping access to fresh fruit and vegetables in Birmingham** 80

**Appendix 6: Briefing note on Transport issues in Birmingham** 81

**Appendix 7: Summary of stakeholder workshop** 86

**Appendix 8: Proposed Terms of Reference for the Children's Nutrition Task Force** 90

**Appendix 9: Proposed activities and tasks for the Lead Officer – Children's Nutrition** 92

# Preface

**By Councillor Bryan Nott**
Chair, Health Overview and Scrutiny Committee

**And Councillor Jilly Bermingham**
Chair of the Review Panel, Children's Nutrition-Obesity

Obesity in children has been the subject of considerable political and public media concern over the past year. It is undoubtedly one of the major contemporary problems of the developed world. This scrutiny review provides a foundation for action to improve children's nutrition, diet and levels of physical activity in our city.

We are pleased that the Committee secured the input of a range of professionals both in the NHS and the City Council in order to explore the factors that lead to obesity in children and to consider what steps need to be taken to improve health outcomes for young people.

The topic of Children's Nutrition – Obesity continues two themes that began in 2003 with our review of 'Children's Nutrition - Mothers Who Wish to Breastfeed' and the scrutiny review of 'Sport, Leisure & Health' which examined the role of physical activity in promoting and protecting the health of both children and adults. Those reviews and the actions which have followed – e.g. the provision of free swimming lessons for children, illustrate the potential impact for health scrutiny to make a difference in health issues that affect and concern the people of Birmingham.

# Children's Nutrition - Obesity

# 1: Summary and Recommendations

1.1 Birmingham, like the rest of the UK, is experiencing a public health epidemic of childhood obesity. Obesit

# Children's Nutrition - Obesity

1.6 Childhood obesity is a disease with potentially devastating consequences, the most important of which are poor mental health, cardiovascular disease and type 2 diabetes mellitus. Health consequences of adult obesity include an increased risk of heart attacks and strokes, type 2 (non insulin dependent) diabetes, breast, endometrial and colorectal cancers and high blood pressure (hypertension).

1.7 The social and mental health consequences of obesity, especially for children, are social isolation, bullying and peer problems. Obesity in childhood and adolescence is associated with poor self-esteem, being perceived as unattractive, depression, disordered eating, bulimia and body dissatisfaction.

1.8 The World Health Organisation (WHO) estimates that 58% of type 2 diabetes, 21% of heart disease and between 8-42% of certain cancers are attributable to excess body fat.

1.9 Deaths linked to obesity shorten life by 9 years on average. The estimated human costs for England include a loss of 18 million sick days a year, 30 000 deaths per year resulting in 40,000 lost years of working life.

1.10 It is estimated that, in England, there is a financial impact on the NHS of approximately £0.5 billion in treatment costs and approximately £2 billion on the economy.

1.11 In Birmingham, it is also estimated that reducing the prevalence of obesity by 5% could save 25 lives each year, and reducing obesity by 25% could save 124 lives a year.

1.12 Reasons for the increase in childhood obesity include:

<u>Poor diet</u>

snacking and over reliance on fast food and processed foods which are high in salt, sugar and fat

predominance of a “cafeteria culture” in many of our schools and access to vending machines providing energy-dense foods and snacks

low intake of fruit and vegetables in many children

poor knowledge amongst children about nutrition, food skills and what constitutes a healthy diet

over-marketing and advertising of fatty and sugary foods

poor access to healthy food and retail outlets sellin

# Children's Nutrition - Obesity

and vegetables

Decline of physical activity

an increase in sedentary behaviour (e.g. watching TV) in children

fewer children walking or cycling to school

less curriculum time spent on phys31l0.00211 Tw 10.02 0 0 i3u5j10.02 0 0

# Children's Nutrition - Obesity

| | | | |
|---|---|---|---|
| | instance for a year, to ensure that real progress is made on this issue including the pursuit of interventions outlined in appendix 9. | | |
| R3 | An interim report be presented to the Birmingham Health Partnership before the end of the calendar year providing a fully costed action plan including detailed actions which have already been put in place. | Cabinet Member for Social Care and Health | December 2004 |
| R4 | All the PCTs in Birmingham<br><br>explore the feasibility of collecting: data on children's universal height, weight and BMI at reception year, year 7 and if possible year 11, or on a school population basis;<br>ensure that data generated by capturing children's universal height, weight and BMI is entered and fully utilised by the Child Health Surveillance System (CHSS);<br>ensure that BMI, height and weight information from the CHSS is made available to school nurses, head teachers and parents;<br>ensure that the health needs of obese children are identified and they and their families are offered appropriate help and support. | Chief Executives of the 4 Birmingham PCTs | December 2004 |
| R5 | The City Council works in conjunction with Birmingham's 4 Directors of Public Health to develop and disseminate to schools, advice and guidelines on<br><br>Food and drink in schools;<br>Commercial sponsorship; advertising and promotion in schools;<br>Physical activity in schools. | Cabinet Member for Education and Lifelong Learning | December 2004 |
| R6 | The City Council undertakes a review of the Health Education Unit, and works in conjunction with Birmingham's 4 Directors of Public Health, in examining the potential public health role of school nurses. | Cabinet Member for Education and Lifelong Learning | December 2004 |
| R7 | The City Council ensures that school governors receive training to better facilitate the effective execution of their governance function including<br><br>Proper consideration of how the school environment impacts on children's health and well-being;<br><br>The school's responsibilities for protecting the health of children;<br><br>Adopting a whole-school approach to combating obesity including issues as set out in section 4.5.4 | Cabinet Member for Education and Lifelong Learning | December 2004 |

# Children's Nutrition - Obesity

and 4.6.9 of this report.

| | | |
|---|---|---|
| R8 | Progress towards achievement of these recommendations be reported to the Health Overview and Scrutiny Committee by December 2004.<br><br>Subsequent progress reports will be scheduled by the Committee thereafter, until all recommendations are implemented. | Cabi |

# 2: Introduction

## 2.1 Reason for the Review

2.1.1 This review w

# Children's Nutrition - Obesity

continue to carry an increased health risk, especially that of

# Children's Nutrition - Obesity

England to prepare local estimates of the number of overweight and obese children and adults in Birmingham and to model the impact of this problem on population health.

2.7.4 In a projected population of 977,087 people, his estimates suggest that

> Over half the adult population of Birmingham is overweight (374,970) and 18.1% are clinically obese, that is 135,740 adults.
>
> Of the 158,920 children aged 5-15 years living in Birmingham, 39,530 are overweight (24.9%) and 19,890 are clinically obese (12.5%).

2.7.5 These estimates only take into account population differences in age, gender and ethnicity, but not social class and are therefore likely to underestimate the numbers for Birmingham.

2.7.6 Some 30% of the Birmingham population are from non-white ethnic minorities compared to 9% nationally and obesity is more common in Black Caribbean and Pakistani communities. With the overall threat of risk from obesity related ill health being greater for this City, the Committee believes this should be closely monitored at a City-wide level.

2.7.7 Figure 1

## 2.8 Consequences and Health Impacts of Childhood Obesity

2.8.1 The Committee considered expert studies[6] which show that up to half of obese children become obese adults and go on to have higher morbidity and mortality compared with the general adult population.

2.8.2 The World Health Organisation (WHO) estimates that 58% of type 2 diabetes, 21% of heart disease and between 8-42% of certain cancers are attributable to excess body fat.

2.8.3 The health consequences of adult obesity include an increased risk of:

Heart attacks and strokes

Type 2 (non insulin dependent) diabetes

Breast, endometrial and colorectal cancers

High blood pressure (hypertension)

Gallstones

Joint and mobility problems (osteoarthritis)

Reproduc

# Children's Nutrition - Obesity

significant subgroup within the obese population who eat by means of binge-eating and who have clinical features very similar to bulimia nervosa" (an eating disorder).

2.8.23 This group benefit from psychological therapies and their obesity is primarily related to mental ill health. The development of bulimia nervosa is influenced by

- parental obesity
- childhood obesity
- critical comments by family about shape, weight or eating
- early menarche
- parental psychiatric disorder and problems

2.8.24 An Australian survey[17] found a high prevalence of disordered eating behaviours (33%), unhealthy dieting practices (57%) and distorted body image (12%) in children and adolescents. Correlates of these behaviours are obesity/overweight status, low self-esteem, depression, suicidal tendencies and substance misuse.

[17] Grigg et al, Disordered eating and unhealthy weight reduction practices in adolescent females, Journal: preventive medicine 1996; 25 (6): 748-756

# 3: Understanding the Causes of Obesity

3.1.1 Obesity results from a 'deranged' energy balance whereby energy intake exceeds energy expenditure. The steep rise in levels of

# Children's Nutrition - Obesity

3.3.2 Non-milk extrinsic sugars (NMES) were found to exceed Government recommendati

which contain high levels of fat and/or sugar and/or salt and include confectionery, crisps and savoury snacks, soft drinks and other so-called 'fast' or pre-prepared 'convenience' foods.

3.7.3 Children are persistently exposed to commercial messages promoting these foods in a variety of formats: on television and radio, on the Internet, at the cinema, in comics and magazines, on packaging and even at school.

3.7.4 "TV Dinners" - a report examining the nature and extent of food advertising during children's TV programmes[29] - showed that between 95% and 99% of the food advertising during children's programming is for fatty and/or sugary and/or salty foods.

3.7.5 The Committee was concerned to learn that fatty and sugary foods are advertised in proportions up to 11 times higher than that recommended in official dietary guidelines, whilst fruit and vegetables are usually not advertised at all. In addition, adverts for unhealthy foods are shown with much greater frequency during children's television compared with adult viewing periods.

3.7.6 For every £1 the Health Education Authority used to spend on promoting healthy diets there is about £800 being spent by the food industry encouraging us to eat their products, 95% of which encourage weight gain rather than a healthy diet.[30]

## 3.8 Childhood Poverty and Diet

3.8.1 Child poverty is a significant issue for Birmingham. Figure 7 shows the high levels of child poverty in Birmingham. 18 Wards have more than 50% of children living in families claiming means tested benefits and this is reflected in the high proportion of children in Birmingham entitled to free school meals (50% compared to 17% in England overall).

# Children's Nutrition - Obesity

.9.3 The marked rise in obesity prevalence has coincided with a decrease in physical activity and a rise in sedentary behaviour in children. Factors contributing to thi

3.9.6 In relation to adolescent girls, the transition from primary to secondary school in young women is associated with the reduction in the amount[vi] of physical activity undertaken both in and out of school.

3.9.7 The risks of not taking part in sport or being physically active are higher in

Children who have a poor relationship with their PE teacher;

Children with parents holding negative attitudes towards physical activity and who do not regularly participate in

se

children.

## 3.10 Food Poverty

3.10.1 Food poverty is an inability or uncertainty to acquire or eat adequate quality or sufficient quantity of food in socially acceptable ways. Food security and entitlement requires that people:

affordable prices etc;

for the culture they live in;

perly.

3.10.2 The 2002-03
spending in
income group ten per cent £883.
Food purchas
which went on meat, £5 on fresh fruit and vegetables and £2 on

3.10.3 at insufficient resources are being spent generally on food to meet healthy guidelines and that low-income families spend even less on food. Poor people spend least on food but the highest proportion income-ri
more on fruit a week than poorest spend on

# Children's Nutrition - Obesity

Commission found that replacing a regular basket of food with the eb

# Children's Nutrition - Obesity

increasingly dominated by food retailers selling takeaways, junk food and long shelf-life, energy dense, processed foods high in salt,

3.11.4 rs in the UK: by 1997 this had decreased to 20,900 . This decline parallels the development five supermar vision infrastructure transport for s

3.11.5 The change i of retailing has profoundly influenced indi

# Children's Nutrition - Obesity

4.1.6 The NHS has responsibilities to provide serv

# Children's Nutrition - Obesity

4.2.2 Their ability t
restricted by
service provid
needs that th
isation
h complex
rotection,

4.2.3

4.2.4
found that 55% of school nurses wanted to do more health promotion work. Nurses can develop and be recognised for their health promotion skills by taking the Certification of Community Nurses to s
Health Education (PSHE). This is a professional development

4.2.5

4.3.1
h Department, each led

ent organisational and

# Children's Nutrition - Obesity

4.5.1 ity's schools. Of the school population, 50% are entitled to free school

been contracted out to private

4.5.2 Direct Services is approximately

considerably lower than their spendin147571099 42

# Children's Nutrition - Obesity

meal in Birmingham, 33% of the cost of a school meal.

120 schools are without a kitchen. Food is transported each day in containers and obviously degenerates in the meantime. There have been funds identified to install regeneration ovens into schools to cook meals from frozen, which would be an improvement.

At present, catering staff do not receive education or training on healthy catering service provision from appropriate public health professionals and/or public health nutritionists. This is the case both at college and during in-service training.

There is no quality assurance of school meal services based on 'healthy eating': no food service has its monthly menus examined or its pattern of food group delivery assessed by anyone able to make a professional judgement as to the nutritional or health value of what is being provided. Some catering managers ask the local school nurse about menus and healthy food provision - even though this group of health professionals has no accredited specialist knowledge or expertise in this area.

4.5.4 The Committee was concerned that th02 0a0 10 02w3e4 7s1ch0 1a.8802 3
approach" to
efforts to imp
wider adoption as school policy include:

# Children's Nutrition - Obesity

| | | | | | |
|---|---|---|---|---|---|
| **Total** | **1** | **0** | **3** | **2** | **6** |
| **Currently Working towards HSS a** | | | | | |

# Children's Nutrition - Obesity

4.6.5 Furthermore, the Committee considered that there was an urgent need for the LEA and the four Directors of Public Health to work disseminate to schools, advice and e of matters ludin

and drink in schools

commercial sponsorship such as advertising and

4.6.6

rk with public health

4.6.7

4.6.8

chool approach to combating obesity. The latter point involves those issues outlined at paragraph 4.5.4 of this

4.6.9

organisations that are committed to providing a “healthy eating school food service”, and identifying a it would be to liaise with their school n activity issues

4.6.10 Such initiativ ng clarity to local governance

4.6.11

services in

# Children's Nutrition - Obesity

4.7.1

4.7.2 Birmingham Leisure Services has worked with the health

tivities include

e City)

e lifestyle clinic

4.7.3 The Committee was pleased to hear that recently implemented walking5.51279 3(o)Tj10.02 0 032 372.90063 77m 10394.03842 Tm(ic

# Children's Nutrition - Obesity

Department that planning policy guidelines are in place (e.g. around restaurants, bars and hot food outlets) which seek to

# Children's Nutrition - Obesity

4.9.2

d with 5% in 1989/91. The West Midlands Transportation Surveys for 2001 indicate that in Birmingham

4.9.3 Spencer-Jones, Director of P

# Children's Nutrition - Obesity

4.10.1 e Committee held a stakeholder event for parents, school nurses and school governors. A summary of issues

, pathological relationships with food, poor self esteem)

confectionery and crisps,

# Children's Nutrition - Obesity

5.1.2 Given the curre
treating childho

# Children's Nutrition - Obesity

## 5.3 Facilitating Change – Strategic Direction

5.3.1 Tackling childhood obesity is extremely challenging and requires changes at multiple levels of society. Rather than focusing solely on personal behaviour, a blend of individual and environmental strategies is required. Each child is part of a social network comprising family, friends, colleagues, and acquaintances. Each layer of social structure (whether individual, interpersonal, organisational, community, or societal) affects the others above and below it, from thhor e outward or the outside inward. Change one level and multiple levels may experience change. Figure 13 below illustrates this 'socio-environmental model of heal




Each level of social structure calls for a blend of intervention strategies and methods. For interventions to be most successful, many le

5.3.4

individual and the environment undergo change simultaneously.[49]

.

# Children's Nutrition - Obesity

achieved through community acti

# Children's Nutrition - Obesity

modification programmes may be effective.

The most successful approach to promoting healthy eating and physical activity in school is to take a 'whole school approach' using multifaceted school-based interventions with an integrated curriculum

5.4.3

5.4.4 e country that appear to have

o **Provision**

5.4.5 o do not have breakfast are more likely to suffer from impaired memory and attention span, and are less likely to process information[55]. improve stud of absence an e breakfast club so much th needed in classrooms.[57]

**Co-ordination of Policy**

5.4.6 The Local Edu school food w such as nurse the gap betw practitioners a otion in schools.

**Provision of Drinking W**

5.4.7 Community in where free wa promoting the sug gg

# Children's Nutrition - Obesity

5.4.15 Wales also opened its leisure centres to children for free swimming during the summer holidays, and

**Local Procurement**

5.4.16 Powys local procurement initiative found thatLocal Procurement73Tj10.l

# Children's Nutrition - Obesity

5.5.3 The Commit
Children's N
responsibility
ordination of city-wide interventions for tackling the threat of overweight an

5.5.4

# Children's Nutrition - Obesity

year 7 and if possible year 11, or on a school population basis;
ensure that data generated by capturing children's universal height, weight and BMI is entered and fully utilised by the Child Health Surveillance System (CHSS);
ensure that BMI, height and weight information from the CHSS is made available to school nurses, head teachers and parents;
ensure that the health needs of obese children are identified and they and their families are offered appropriate help and support.

they

# Appendix 1: Terms of Reference

| | | |
|---|---|---|
| A | Subject of review | Children's Nutrition – Obesity |
| | Overview and Scrutiny Committee | Health Overview and Scrutiny Committee |
| B | Reason for review | To identify what steps are being taken by different agencies including the NHS and the City Council to address the problem of childhood obesity |

# Children's Nutrition - Obesity

## Scrutiny review : Children's Nutrition - Obesity

## Draft project plan

Key objective

To identify what steps are being taken by different agencies including the NHS and City Council to address the problem of childhood obesity.

| Objective | Tasks | Timescales | Responsibility |
|---|---|---|---|
| STAGE 1 : Preparation | | | |
| | Agree project lead, core membership and support arrangements for working group.<br><br>Finalise and agree project plan, including meeting schedule.<br><br>Assemble comparative information on children's nutritional state in Birmingham e.g. lifestyle survey, estimates of numbers overweight children, school entry data.<br><br>Produce list of programmes, initiatives and services which are relevant.<br><br>Review project plan in light of above. Identify any gaps in local information. | By mid August<br><br>By September 23rd<br><br>By September 12th | Link Officer - Dr Chambers<br><br>Health Committee Dr Chambers/Chairman<br><br>Edwina Affie / Namita Srivastava<br><br>Edwina Affie /Namita Srivasatava |
| STAGE 2 : Unders | | | |

# Children's Nutrition - Obesity

| | | | |
|---|---|---|---|
| | organisations, community leaders.<br><br>5 Case studies of specific children who have become obese - interviews with parents and adolescents. | | |
| | Obtain evidence from head teachers , HEU and Citiserve , BCC education dept and dental public health consultant ( RH ). | By October 31st | |
| STAGE 3 : Mapping implementation of national and local | | | |